




Typ VX (KCB) PVC-isoliertes Mylar-geschirmtes Thermoelementkabel / -draht (IEC)



TYPE-KCB



TYPE-KCB

Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

Typ VX (KCB) PVC-isoliertes Mylar-geschirmtes Thermoelementkabel / -draht (IEC)

Das Ausgleichskabel hñelt der thermoelektrischen Kennlinie des betreffenden Thermoelements bei einem begrenzten Umgebungstemperaturbereich, typischerweise 0 bis 80C. Da diese Kabel aus kostengünstigen Materialien hergestellt werden, können Kosteneinsparungen bei Anlageninstallationen im Vergleich zur Verwendung von echten Thermoelement-Verlängerungskabeln erzielt werden. Die Toleranz an jeder einzelnen Drahtlitze beträgt +/- 0,02 mm.

Leistungsbeschreibung
Specifications

General Description	Good general purpose insulation for 'light' environments. Waterproof and very flexible.
Cable Length	10m, 25m, 50m, 100m, 200m
Cable Type	Twisted cores & screened construction for reduced electrical noise
Core / Strands	7/0.2mm
Conductor Cross Section 7/0.2 (mm²)	0.219
Outer Colour	Green
+ Colour	Green
- Colour	White
Insulation Material	PVC Insulated with a mylar screen
Loop Resistance 7/0.2 (Ohms per combined metre)	2.3
Max. Temperature	+105°C
Min. Temperature	-10°C
+ Conductor	Copper



- Conductor	Constantan
Screen	Yes
Screen Type	Mylar
Standards Met	Colour code (cores & jacket) to IEC-584-3
Thermocouple Type	VX (KCB)
Tolerance	Class 2. The tolerance on each individual strand of wire is +/- 0.02mm