


Typ K PVC-Verlängerungskabel mit Standardstecker und -buchse (IEC)



TYPE-K



TYPE-K

Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

Leistungsbeschreibung

Kabelaufbau: Einzelpaar 7/0,2

PVC-isoliertes Kabel / Draht

Flach gelegt, nebeneinander und PVC-ummantelt

Toleranzklasse 2

Isolationsgrad -10 bis 105 C

IEC-Farbcodierung

Standard-Steckverbinder

Standardstecker mit massiven, runden Steckerstiften

Standard-Buchse mit Thermoelement-Kontakten

Geeignet für industrielle Anwendungen

Die Kontakte sind polarisiert, um einen falschen Anschluss zu verhindern

Maximale Temperatur 220C

IEC-Farbcodierung

Specifications

General Description	Good general purpose insulation for 'light' environments. Waterproof and very flexible.
Cable Length	2M, 5M, 10M, 15M
Cable Type	Flat Pair Construction
Connector Type	Thermocouple Plug & Socket
Connector Size	Standard
Core / Strands	7/0.2mm
Conductor Cross Section 7/0.2 (mm²)	0.219

Outer Colour	Green
Drain Wire	No
Insulation Material	PVC Insulated
Loop Resistance 7/0.2 (Ohms per combined metre)	4.5
Max. Temperature	105°C
Min. Temperature	-10°C
+ Conductor	Nickel Chromium
- Conductor	Nickel Aluminium
Screen	No
Standards Met	Colour code (cores & jacket) to IEC-584-3
Thermocouple Type	K
Termination Type	Standard Thermocouple Plug and Socket
Tolerance	Class 2