



**IEC-Dsen-Thermoelement, glasfaserisoliertes
Kabel mit Edelstahlgeflecht, das in blanken
Schwanzen endet, Miniatur- oder Standardstecker -
Typ K, J**



Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

Thermoelement mit Edelstahlgewindebolzen

M6x1mm Gewinde

Geerdete Spitze für schnelle Reaktion

Nennleistung 350 °C

2 Meter glasfaserisolierte Leitung mit Edelstahl-Übergeflecht, 7/0,2mm

Typ J oder K verfügbar

Typ K mit Standard-Steckerabschlussoption

Specifications

General Description	Thermocouple housed in a stainless steel threaded bolt
Thermocouple Type	K or J
Thermocouple Junction	Grounded hot junction for fast response, M6x1mm thread
Probe Diameter	4.5mm
Probe Length	150mm
Cable Length	1, 2 or 5m
Cable Type	Glassfibre insulated lead with stainless steel overbraid
Core / Strands	7/0.2mm
Cable Termination	Bare wire or standard plug
Termination Type	Bare tails, Miniature or Standard Plug (with cable clamps)
Max. Temperature	+350°C
Min. Temperature	-60°C
Standards Met	IEC
Dimensions	25x13mm shim (0.2mm thick)



LABFACILITY

TEMPERATURE & PROCESS TECHNOLOGY

Thread	M6 x 1mm thread
--------	-----------------